



Photo-reactive Drug Information

The following medications are commonly considered to be photo-reactive and may cause an adverse condition if used in conjunction with the Zoom System. If you are currently taking any of these medications, please consult with your physician before going through the Zoom procedure. To check photo-reactive properties of any medication NOT listed below, please consult the most recent edition of the Physician's Desk Reference (PDR).

Generic Name	Trade Name	Uses
Chlorothiazide	Aldoclor, Diupres, Diuril	High Blood Pressure/ Heart Failure
Hydrochlorothiazide	Aldactezide, Aldoril, Capozide, Dyazide, Hydrodiuril, Lopressor, Orotic, Moduretic, Microzide	
Naproxen	Naprosyn, Aleve	Pain Reliever/ Anti- Inflammatory
Oxaprozin	Daypro	
Nabumetone	Relafen	
Sulindac	Clinoril	
Doxycycline	Vibramycin, Doryx	Antibiotics for bacterial infections
Ciprofloxacin	Cipro	
Ofloxacin	Floxin	
Democlocyline	Declomycin	
Tetracycline	Achromycin V, Sumycin	
Norfloxacin	Chibroxin, Noroxin	
Sparfloxacin	Zagan	
St. John's Wort		Herb Used for Depression, PMS
Isotretinoin	Accutane	Acne
Tretinoin	Retin A	Acne
Psoralen	Methoxsalen, Trisoralen	Psoriasis

Patient Acknowledgement

I have read the list above and understand that the medications listed, if taken, can have an adverse reaction when used with the Zoom System. I also acknowledge that I do not currently take any of the listed medications.

Patient Signature

Print Name

Date